

TILES FLOOR

marangioLTD

porcelain range 2020



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm


Model:
Azarm 001 (Gloss)
2M-601335F1

Application	Floor
industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:

Azarm 003 (Gloss)

2M-601355F3


Application	Floor
Industrial	
Commercial	×
Residential	×



Azarm 003 + Azarm 001 (Gloss)

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Javid (Matt)
1S-601213F6

Application	Floor
Industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:

Sanva

1S-600625F1

Application	Floor
Industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm


Model:
Farbod
zS-600331F1

Application	Floor
industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm


Model:
Black (gloss)
2V-106401-22

Application	Floor
industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
White (gloss)
2W-100001-25

Application	Floor
industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



Model:

Turin

ROA 01801 EN



60x60 x1 cm

Application	Floor
industrial	
Commercial	×
Residential	×

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:

Libra 001 (matt)

Application	Floor
industrial	
Commercial	×
Residential	×



MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Rayan
1S-601191F1



Application	Floor
industrial	
Commercial	×
Residential	×

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Valencia

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



Model:

Genova Robo

ROB 0180 2EN



60x60 x1 cm

Application	Floor
industrial	
Commercial	×
Residential	×

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Granite brown


Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Kahroba

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,2% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Kristina

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60×60 ×1 cm

Model:
Malon black

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Medlin

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Odesa

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Sahand

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III

MARANGO Porcelain Collection

Experience Variety and Beauty at its Finest



60x60 x1 cm

Model:
Granada Dark

Application	Floor
industrial	
Commercial	×
Residential	×



	required standards	AMIN collection
 water absorption ISO 10545.3	≤ 0,5%	≤ 0,4%
 sizes ISO 10545.2	length and width ±0,6% max thickness ±5,0% max linearity ±0,5% max wedging ±0,6% max warpage ±0,5% max	±0,03% +4,5% +0,1% +0,3%
 breakage strength (N) ISO 10545.4	not less than 1300	1950
 resistance to deep abrasion ISO 10545.6	min class I	Class II & Class III